



Tector Upset Tubing, Closed End

Specifications

- Material: HDPE
- Color: Black

Features

- Available in liftable and non-liftable designs
- Light weight plastic
- Used to protect EUE thread forms against dirt, moisture, and corrosion
- Recommended for short term storage and in-yard transportation only
- 100% recyclable

Item No.	Connection Size	Connection	Physical Attributes	Additional Item Attributes	Pin/ Box	Package Type	Package Qty.
10191	3/4	EUE 8 RD	CENLV	-	PIN	CTN	400
10189	1	EUE 8 RD	CENLV	-	PIN	CTN	500
10198	1 1/4	EUE 8 RD	CENLV	-	PIN	CTN	300
10194	1 1/2	EUE 10 RD	CENLV	-	PIN	CTN	600
10210	2 3/8	EUE 8 RD	CENLV	-	PIN	CTN	250
10112	2 3/8	EUE 8 RD	CENLV	LS	PIN	CTN	190
10209	2 3/8	EUE 8 RD	CENLV	-	PIN	CTN	250
10223	2 7/8	EUE 8 RD	CENLV	-	PIN	CTN	180
10111	2 7/8	EUE 8 RD	CENLV	LS	PIN	CTN	216
10222	2 7/8	EUE 8 RD	CENLV	-	PIN	CTN	180
10109	3 1/2	EUE 8 RD	CENLV	LS	PIN	CTN	150
10234	3 1/2	EUE 8 RD	CENLV	-	PIN	CTN	100
10107	4	EUE 8 RD	CENLV	LS	PIN	CTN	100
10113	4 1/2	EUE 8 RD	CENLV	LS	PIN	CTN	80
10190	3/4	EUE 8 RD	CELV	-	BOX	CTN	400
10188	1	EUE 8 RD	CELV	-	BOX	CTN	500
10197	1 1/4	EUE 8 RD	CELV	-	BOX	CTN	400
10193	1 1/2	EUE 10 RD	CELV	-	BOX	CTN	700
10204	2 3/8	EUE 8 RD	CELV	-	BOX	CTN	250
10216	2 7/8	EUE 8 RD	CELV	-	BOX	CTN	200
10230	3 1/2	EUE 8 RD	CELV	-	BOX	CTN	100
10116	4	EUE 8 RD	CELV	-	BOX	CTN	160
10115	4 1/2	EUE 8 RD	CELV	-	BOX	CTN	85



Tector Upset Tubing, Open End

Specifications

- Material: HDPE
- Color: Black

Features

- Light weight plastic
- Used to protect EUE thread forms against dirt, moisture, and corrosion
- Recommended for short term storage and in-yard transportation only
- 100% recyclable

Item No.	Connection Size	Connection	Physical Attributes	Pin/ Box	Package Type	Package Qty.
10212	2 3/8	EUE 8 RD	OE	PIN	CTN	250
10225	2 7/8	EUE 8 RD	OE	PIN	CTN	180
10237	3 1/2	EUE 8 RD	OE	PIN	CTN	100
10206	2 3/8	EUE 8 RD	OE	BOX	CTN	250
10218	2 7/8	EUE 8 RD	OE	BOX	CTN	200
10232	3 1/2	EUE 8 RD	OE	BOX	CTN	100

Tector Non-Upset Tubing, Closed End

Specifications

- Material: HDPE
- Color: Black

Features

- Available in liftable and non-liftable designs
- Light weight plastic
- Used to protect NUE thread forms against dirt, moisture, and corrosion
- Recommended for short term storage and in-yard transportation only
- 100% recyclable



Item No.	Connection Size	Connection	Physical Attributes	Pin/ Box	Package Type	Package Qty.
10191	1	NUE 10 RD	CENLV	PIN	CTN	400
10196	1 1/2	NUE 10 RD	CENLV	PIN	CTN	200
10119	1 1/2	NUE 10 RD	CENLV	PIN	CTN	200
10200	1 1/4	NUE 10 RD	CENLV	PIN	CTN	800
10121	2 3/8	NUE 10 RD	CENLV	PIN	CTN	360
10123	2 7/8	NUE 10 RD	CENLV	PIN	CTN	200
10127	3 1/2	NUE 10 RD	CENLV	PIN	CTN	115
10131	4	NUE 8 RD	CENLV	PIN	CTN	95
10141	4 1/2	NUE 8 RD	CENLVN	PIN	CTN	72
10190	1	NUE 10 RD	CELV	BOX	CTN	400
10195	1 1/2	NUE 10 RD	CELV	BOX	CTN	200
10120	1 1/2	NUE 10 RD	CELVN	BOX	CTN	200
10199	1 1/4	NUE 10 RD	CELVN	BOX	CTN	800
10122	2 3/8	NUE 10 RD	CELV	BOX	CTN	360
10125	2 7/8	NUE 10 RD	CELV	BOX	CTN	200
10129	3 1/2	NUE 10 RD	CELVN	BOX	CTN	115
10132	4	NUE 8 RD	CELVN	BOX	CTN	95
10142	4 1/2	NUE 8 RD	CELV	BOX	CTN	72

Tector Non-Upset Tubing, Open End

Specifications

- Material: HDPE
- Color: Black

Features

- Light weight plastic
- Used to protect NUE thread forms against dirt, moisture, and corrosion
- Recommended for short term storage and in-yard transportation only
- 100% recyclable



Item No.	Connection Size	Connection	Physical Attributes	Pin/ Box	Package Type	Package Qty.
10124	2 7/8	NUE 10 RD	OE	PIN	CTN	270
10128	3 1/2	NUE 10 RD	OE	PIN	CTN	160
10126	2 7/8	NUE 10 RD	OE	BOX	CTN	200
10130	3 1/2	NUE 10 RD	OE	BOX	CTN	128



Tector Casing, Closed End

Specifications

- Material: HDPE
- Color: Black

Features

- Available in liftable and non-liftable designs
- Light weight plastic
- Used to protect API casing thread forms against dirt, moisture, and corrosion
- Recommended for short term storage and in-yard transportation only
- 100% recyclable

Item No.	Connection Size	Connection	Physical Attributes	Additional Item Attributes	Pin/ Box	Package Type	Package Qty.
10164	4 1/2	LTC	CENLV	-	PIN	PLT	800
10117	5 1/2	LTC	CENLV	LS	PIN	PLT	576
10150	5 1/2	LTC	CENLV	-	PIN	PLT	392
10250	7	LTC	CENLV	-	PIN	PLT	240
10377	8 5/8	LTC	CENLV	-	PIN	PLT	120
10265	9 5/8	LTC	CENLV	-	PIN	PLT	96
10158	4 1/2	STC	CENLV	2 5/8 THREAD	PIN	CTN	108
10151	5 1/2	STC	CENLV	-	PIN	PLT	441
10253	7	STC	CENLV	-	PIN	PLT	270
10260	8 5/8	STC	CENLV	-	PIN	PLT	160
10272	10 3/4	STC	CENLV	-	PIN	PLT	96
10274	11 3/4	STC	CENLV	-	PIN	PLT	63
10280	13 3/8	STC	CENLV	-	PIN	PLT	72
10161	4 1/2	STC/LTC	CELV	-	BOX	PLT	800
10175	5 1/2	STC/LTC	CELV	-	BOX	PLT	441
10154	5	STC/LTC	CELV	-	BOX	CTN	112
10247	7	STC/LTC	CELV	-	BOX	PLT	300
10257	8 5/8	STC/LTC	CELV	-	BOX	PLT	180
10262	9 5/8	STC/LTC	CELV	-	BOX	PLT	144
10270	10 3/4	STC	CELV	-	BOX	PLT	108
10427	11 3/4	STC	CELV	-	BOX	PLT	72
10171	13 3/8	STC	CELV	-	BOX	PLT	72
10419	5 1/2	BTC	CENLV	-	PIN	PLT	343
10287	7	BTC	CENLV	-	PIN	PLT	210
10264	9 5/8	BTC	CENLV	-	PIN	PLT	96
10278	13 3/8	BTC	CENLV	-	PIN	PLT	56
10182	5 1/2	BTC	CELV	-	BOX	PLT	490
10187	6 5/8	BTC	CELV	-	BOX	PLT	350
10418	7 5/8	BTC	CELV	-	BOX	PLT	175
10184	7	BTC	CELV	-	BOX	PLT	210
10294	9 5/8	BTC	CELV	-	BOX	PLT	96
10420	9 5/8	BTC	CELV	-	BOX	PLT	96
10296	13 3/8	BTC	CELV	-	BOX	PLT	54

Tector Casing, Open End**Specifications**

- Material: HDPE
- Color: Black

Features


- Light weight plastic
- Used to protect API casing thread forms against dirt, moisture, and corrosion
- Recommended for short term storage and in-yard transportation only
- 100% recyclable



Item No.	Connection Size	Connection	Physical Attributes	Additional Item Attributes	Pin/ Box	Package Type	Package Qty.
10162	4 1/2	LTC	OE	-	PIN	CTN	126
10153	5	LTC	OE	-	PIN	CTN	70
10167	5 1/2	LTC	OE	-	PIN	CTN	72
10251	7	LTC	OE	-	PIN	PLT	240
10170	7 5/8	LTC	OE	-	PIN	PLT	150
10157	4 1/2	STC	OE	2 5/8 THREAD	PIN	CTN	126
10156	4 1/2	STC	OE	2 THREAD	PIN	CTN	180
10165	5 1/2	STC	OE	-	PIN	CTN	72
10254	7	STC	OE	-	PIN	PLT	300
10261	8 5/8	STC	OE	-	PIN	PLT	180
10159	4 1/2	STC/LTC	OE	-	BOX	CTN	126
10155	5	STC/LTC	OE	-	BOX	CTN	112
10166	5 1/2	STC/LTC	OE	-	BOX	CTN	84
10169	7 5/8	STC/LTC	OE	-	BOX	PLT	275
10248	7	STC/LTC	OE	-	BOX	PLT	300
10258	8 5/8	STC/LTC	OE	-	BOX	PLT	180
10285	5 1/2	BTC	OE	-	PIN	CTN	60
10289	7 5/8	BTC	OE	-	PIN	PLT	150
10288	7	BTC	OE	-	PIN	PLT	210
10293	9 5/8	BTC	OE	-	PIN	PLT	96
10295	10 3/4	BTC	OE	-	PIN	PLT	84
10183	5 1/2	BTC	OE	-	BOX	PLT	539
10186	7 5/8	BTC	OE	-	BOX	PLT	175
10185	7	BTC	OE	-	BOX	PLT	210
10298	10 3/4	BTC	OE	-	BOX	PLT	72



FREE SAMPLES



Find exactly what you need — Contact us today for **FREE** samples!